


## Radially Assembled, External 'E', JIS

Perhaps the most popular and widely used radial retaining ring is the "E" (so named because it is shaped like the letter "E").

Three prongs make contact with the bottom of the groove and provide a shoulder for effective retention of assemblies.



Free Diameter & Ring Measurements With Section B-B

RING	SHAFT		GROOVE SIZE				RING SIZE									
NO.	Diameter Ds (mm)		DIAMETER		WIDTH		EDGE Margin	FREE D	IAMETER		KNESS	G/	AΡ	BEAM WIDTH	OUT	REE Side Ia.
	From	To	Dg	Tol.	W	Tol.	Y Min.	Df	Tol.	T	Tol.	Α	Tol.	E	G	Tol.
JE-0,8	1	1,4	0,8	+0,05	0.3		0,4	0,8	-0,08	0,2	±0,02	0,7		0.3	2	±0,1
JE-1,2	1,4	2,0	1,2		0.4		0,6	1,2		0,3	±0,025	1		0.4	3	
JE-1,5	2,0	2,5	1,5	]	0.5	+0,05	0,8	1,5	]	0,4		1.3	-0.25	0.6	4	
JE-2	2,5	3,2	2.0	+0,06	0.5		1,0	2	-0,09	0,4	±0,03	1.7		0.7	5	]
JE-2,5	3,2	4,0	2,5	]	0.5		1,0	2,5	]	0,4		2.1		0.8	6	]
JE-3	4,0	5,0	3,0		0.7		1,0	3		0,6		2.6		0.9	7	]
JE-4	5,0	7,0	4,0		0.7	]	1,2	4		0,6		3.5		1.1	9	±0,2
JE-5	6,0	8,0	5,0	+0,075	0.7	1	1,2	5	-0,12	0,6		4.3	-0.30	1.2	11	
JE-6	7,0	9,0	6,0	]	0.9	+0,10	1,2	6	1	0,8	±0,04	5.2		1.4	12	1 1
JE-7	8,0	11,0	7,0		0.9	]	1,5	7		0,8		6.1		1.6	14	
JE-8	9,0	12,0	8,0	+0,09	0.9	]	1,8	8	-0,15	0,8		6.9	-0.35	1.8	16	]
JE-9	10,0	14,0	9,0	]	0.9		2,0	9	]	0,8		7.8		2.0	18	
JE-10	11,0	15,0	10,0		1.15		2,0	10		1,0	±0,05	8.7		2.2	20	
JE-12	13,0	18,0	12,0	+0,11	1.15	]	2,5	12	-0,18	1,0		10.4		2.4	23	]
JE-15	16,0	24,0	15,0		1.65	+0,14	3,0	15		1,5	±0,06	13.0	-0.45	2.8	29	±0,3
JE-19	20,0	31,0	19,0	+0,13	1.65	1	3,5	19		1,5		16.5		4.0	37	
JE-24	25,0	38,0	24,0		2.2	1	4,0	24	-0,21	2,0	±0,07	20.8	-0,50	5.0	44	1

ALL DIMENSIONS IN MILLIMETERS.

## HARDNESS RANGES: STAINLESS STEEL RINGS (PH 15-7MO)

TIATIBITE OF TIATIOLE OF THE TIME OF THE T						
RING TYPE	SIZE RANGE	SCALE	ROCKWELL HARDNESS			
JE	0,8-2,5	15N	82.5-86*			
	3-9	30N	63-69.5			
	10-24	С	44-51			

## HARDNESS RANGES: BERYLLIUM COPPER RINGS

TIVITE TO TO THE CO. DETTILE TO THE CO. TELL THINGS							
RING TYPE	SIZE RANGE	SCALE	ROCKWELL HARDNESS				
JE	0,8-2,5	15N	79-82*				
	3-9	30N	56.5-62				
	10-24	С	37-43				

## HARDNESS RANGES: CARBON STEEL RINGS (SAE 1060-1090)

THE REPORT OF THE PARTY OF THE							
RING TYPE	SIZE RANGE	SCALE	ROCKWELL HARDNESS				
JE	0,8-2,5	15N	82.5-87				
	3-9	30N	63-71				
	10-24	С	44-53				

<sup>\*</sup>HARDNESS CAN NOT BE CHECKED WITH ANY DEGREE OF ACCURACY DIRECTLY ON THESE RINGS.

<sup>\*\*\*</sup>FOR PLATED RINGS, ADD 0.05 TO THE LISTED MAXIMUM THICKNESS. MAXIMUM RING THICKNESS WILL BE A MINIMUM OF 0.005 LESS THAN THE LISTED GROOVE WIDTH (W) MINIMUM.